

GymBeam s.r.o.

Ms. Sláviková

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia



Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

Certificate of analysis 24050879 - 011

Sample name : DigeZyme - GymBeam 60 caps 3 x 37,2 g

Marking of sample : D02E10M24 02.10.2026

Customer No. : DigeZyme - GymBeam 60 caps

Packaging : Commercial package/plastic vessel

Sample amount : 3 x 37,2 g

Shipping of sample : Courier Service

Sample entry : 21.10.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 21.10.2024 / 29.10.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3

Certificate of analysis : 24050879 - 011

Sample name : DigeZyme - GymBeam 60 caps 3 x 37,2 g

Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Coliforms	<10	cfu/g
Salmonella	negative	/ 25 g
Yeasts / moulds		
Yeasts	<10	cfu/g
Moulds	<10	cfu/g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	<0,020	mg/kg	3
Cadmium	0,010	mg/kg	1
Mercury	<0,010	mg/kg	0,1

Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 29.10.2024

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
Coliforms	ISO 4832: 2006-02 ^a ₀
Salmonella	DIN EN ISO 6579-1: 2020-08 ^a ₀
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 ^a ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 ₀
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

With ^a marked methods are accredited.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg

Certificate of analysis : 24050879 - 011

Sample name : DigeZyme - GymBeam 60 caps 3 x 37,2 g